

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	318	(706/16).CCLS.	USPAT; USOCR	OR	OFF	2007/09/30 22:35

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3828	support vector machine or svm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/30 21:24
L2	0	support vector near5 linear independen\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/30 21:25
L3	29	support vector near5 independen\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/30 21:26
L4	6885	training (set or vector)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/30 21:26
L5	3	3 with 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/30 21:28
L6	1	("5649068").PN.	USPAT; USOCR	OR	OFF	2007/09/30 21:29

Web Images Video News Maps Gmail more ▾

[Sign in](#)

Google

vector cluster distances

Search

[Advanced Search](#)
[Preferences](#)

New! [View and manage your web history](#)

Web Books

Results 1 - 10 of about 1,890,000 for **vector cluster distances**. (0.11 seconds)

[PDF] ADAPTIVE CLUSTER-DISTANCE BOUNDING FOR NEAREST NEIGHBOR SEARCH IN ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

datasets, based on principles of clustering and **vector** quantization. We develop an adaptive **cluster distance** bound based ...

scl.ece.ucsb.edu/pubs/pubs_D/d07_4.pdf - [Similar pages](#)

R: Cluster validation statistics

diameter, **vector** of cluster diameters (maximum within **cluster distances**).

average **distance**, **vector** of clusterwise within **cluster average distances**. ...

rss.acs.unt.edu/Rdoc/library/fpc/html/cluster.stats.html - 8k - Cached - [Similar pages](#)

[Paper] ART Neural Network based Clustering Agent for User Access ...

Each **cluster** is represented as prototype **vector** by generalizing the URLs most The average inter-**cluster distances** are varying at a steady rate. ...

www.actapress.com/PDFViewer.aspx?paperId=21100 - [Similar pages](#)

Mamajek, Moving Cluster Distance to 2M1207b

Using a revised space motion **vector** for TWA and improved proper motion for 2M1207, I use the moving **cluster** method to estimate the **distance** to the 2M1207 ...

www.journals.uchicago.edu/cgi-bin/resolve?2005ApJ...634.1385M - [Similar pages](#)

Comptes Rendus Chimie : Small-angle X-ray scattering investigation ...

The x-axis corresponds to the scattering **vector**, q , and the y-axis to $I(q)$ Contrary to this, the peak at smaller q (larger inter-**cluster distances**) is ...

linkinghub.elsevier.com/retrieve/pii/S1631074804000840 - [Similar pages](#)

Proactive Cluster-Based Distance Vector (PCDV) Routing Protocol in ...

A proactive **cluster-based distance vector** routing protocol based on DSDV protocol is proposed for mobile ad hoc networks. A network is divided into a number ...

ietcom.oxfordjournals.org/cgi/content/abstract/E90-B/6/1390 - [Similar pages](#)

[PDF] Proactive Cluster-Based Distance Vector (PCDV) Routing Protocol in ...

A proactive **cluster-based distance vector** routing protocol. based on DSDV protocol is proposed for mobile ad hoc networks. A net- ...

ietcom.oxfordjournals.org/cgi/reprint/E90-B/6/1390.pdf - [Similar pages](#)

[More results from ietcom.oxfordjournals.org]

Automatic Speech and Speaker Recognition: Advanced Topics - Google Books Result

by Kuldeep K. Paliwal, Chin-Hu Lee, Frank K. Soong - 1996 - Computers - 536 pages

Let $D(X_i, M_k)$ denote a suitable **distance** measure between a given **vector** X_i , $i = 1, \dots, N$, and a given **cluster** M_k , $k = 1, \dots, K$. (For example, ...

books.google.com/books?isbn=0792397061...

[PDF] A convex cluster merging algorithm using support vector machines ...

reliable **distance**. measure between two convex clusters using Support **Vector**. Machines (SVM). ... **distance** measure for the input pattern and each **cluster**. In ...

ieeexplore.ieee.org/iel5/8573/27148/01206549.pdf - [Similar pages](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

minimum distance between support vectors

Search

[Advanced Search](#)
[Preferences](#)

New! [View and manage your web history](#)

Web Results 1 - 10 of about 1,770,000 for **minimum distance between support vectors**. (0.33 seconds)

[PS] [Support Vector Machines for 3-D Object Recognition](#)

File Format: Adobe PostScript - [View as Text](#)

Support Vector Machines (SVMs) have been recently proposed as a new The quantity $2=w$, the lower bound of the **minimum distance between points** ...

cbcl.mit.edu/projects/cbcl/publications/ps/text.ps - [Similar pages](#)

[PS] [Properties of Support Vector Machines](#) Massimiliano Pontil and ...

File Format: Adobe PostScript - [View as Text](#)

Support Vector Machines (SVMs) perform pattern recognition **between** two point ... hyperplane, and all the **support vectors** lie at the same **minimum distance** ...

cbcl.mit.edu/publications/ai-publications/1500-1999/AIM-1612.ps - [Similar pages](#)

[More results from cbcl.mit.edu]

[Ultrasound in Medicine & Biology : Development of a support vector ...](#)

is the number of **support vectors**, x is the input pattern vector, (ii) the **distance between** the two hyperplanes (which is equal to $2/\text{double vertical}$...

linkinghub.elsevier.com/retrieve/pii/S0301562905002887 - [Similar pages](#)

[PPT] [Support Vector Machines: A Geometric View Point](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

The training **vectors** belong now to one of the following categories: ... **Minimum Distance Point between** RCHs. Minimize: s.t.: , , ...

www.ait.edu.gr/seminars/SVM-Talk.ppt - [Similar pages](#)

[PDF] A convex cluster merging algorithm using **support vector machines** ... obtained using the **minimum distance between** the vertices. of. two convex clusters.

Support Vector Machines, Cambridge University Press, ...

ieeexplore.ieee.org/iel5/8573/27148/01206549.pdf - [Similar pages](#)

[Support vector machines](#)

Support vector machines elegantly sidestep both difficulties [Vapnik, 1998]. ... the hyperplane that maximizes the **minimum distance** from the hyperplane to ...

www.soe.ucsc.edu/research/compbio/genex/genexTR2html/node3.html - 12k -

Cached - [Similar pages](#)

[PS] [Active Support Vector Machine Classification](#)

File Format: Adobe PostScript - [View as Text](#)

Maximize the margin (**distance**) **between** the parallel separating planes with A tutorial on **support vector machines** for pattern recognition. ...

ftp://ftp.cs.wisc.edu/pub/dmi/tech-reports/00-04.ps - [Similar pages](#)

[Andrew D. Back - Research on Neural Networks, Independent ...](#)

The basic idea of **support vector machines** (SVMs) is The **support vector** ...)/least [2 This implies that the **minimum distance between** two classes i and j is ...

andrewback.com/webpapers/svm/index.php - 45k - Cached - [Similar pages](#)

[PDF] [Integrating Support Vector Machines in a Hierarchical Output Space ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The **Support Vector Machine** projects the input **vectors** into. a high dimensional feature space, ... Defining the **minimum distance between** two class groups in ...

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

[Google](#)

determine linearly independent set of support

[Search](#)

[Advanced Search](#)
[Preferences](#)

[New!](#) [View and manage your web history](#)

Web Results 1 - 10 of about 90,100 for **determine linearly independent set of support vectors from the train**

Pattern recognition system using support vectors - Patent 5649068

The number m of **linearly independent** supporting patterns satisfies the inequality: of the components of these **vectors is minimized** for maximum margin. ...
www.freepatentsonline.com/5649068.html - 49k - [Cached](#) - [Similar pages](#)

[PS] Properties of Support Vector Machines Massimiliano Pontil and ...

File Format: Adobe PostScript - [View as Text](#)

characterized by a xed **set of support vectors**. Notice that the rightmost For innite kernels, the margin **vectors** are still **linearly independent** but ...
cbcl.mit.edu/publications/ai-publications/1500-1999/AIM-1612.ps - [Similar pages](#)

[PS] Properties of Support Vector Machines 1 Introduction

File Format: Adobe PostScript - [View as Text](#)

optimize the performance on the **training set** {, SVMs minimize the We have shown that the margin **vectors** are always **linearly independent** and that ...
cbcl.mit.edu/projects/cbcl/publications/ps/sv_prop.ps - [Similar pages](#)
[[More results from cbcl.mit.edu](#)]

Method and apparatus for improving the efficiency of support ...

During the **training phase**, the **set of support vectors** is generated for use in PHI. can map **linearly dependent vectors** in L onto **linearly independent** ...
www.patentstorm.us/patents/6134344-description.html - 55k - [Cached](#) - [Similar pages](#)

[PDF] Properties of Support Vector Machines Massimiliano Pontil and ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

characterized by a xed **set of support vectors**. Notice that the rightmost **linearly independent** and that the decision surface can be written as the **sum** ...
ftp://publications.ai.mit.edu/ai-publications/pdf/AIM-1612.pdf - [Similar pages](#)

[PDF] Properties of Support Vector Machines

training set—SVMs minimize the structural risk—that is, the probability of margin **vectors** are always **linearly independent** and that the decision sur- ...
neco.mitpress.org/cgi/reprint/10/4/955.pdf - [Similar pages](#)

[PDF] A Tutorial on Support Vector Machines for Pattern Recognition

File Format: PDF/Adobe Acrobat - [View as HTML](#)

in L onto two **vectors** that are **linearly independent** in H with range $\{\pm 1, 0\}$, and let Φ be a **set of such functions**. Let each x have an **associated** ...
www.umiacs.umd.edu/~joseph/support-vector-machines4.pdf - [Similar pages](#)

Expert Systems with Applications : An application of one-class ...

and target labels y_i **set membership**, variant $\{-1, +1\}$. **Support vector machine (SVMs)** ...
However, not all data sets are **linearly separable** and it is too ...
linkinghub.elsevier.com/retrieve/pii/S0957417406001655 - [Similar pages](#)

[PDF] Discrete support vector decision trees via tabu search

based on the new concept of discrete **support vector machines**. stances from the **training set**, and then applied to predict the class of each validation ...
linkinghub.elsevier.com/retrieve/pii/S0167947303002779 - [Similar pages](#)
[[More results from linkinghub.elsevier.com](#)]

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)[Google](#)[Advanced Search](#)
[Preferences](#)[New!](#) [View and manage your web history](#)**Web**Results 1 - 10 of about **241,000** for **dissimilarity between vector clusters**. (0.07 seconds)

Cluster Analysis

The cosine of the angle **between 2 vectors** is identical to their correlation ... AVERAGE

LINKAGE CLUSTERING: The **dissimilarity between clusters** is calculated ...

149.170.199.144/multivar/hc.htm - 37k - [Cached](#) - [Similar pages](#)

cMAP

These reference **vectors** are used in the similarity computations **between** the ... represent the degree of **dissimilarity between** neighboring **clusters**. ...

www.canis.uiuc.edu/projects/interspace/technical/canis-report-0006.html - 11k -

[Cached](#) - [Similar pages](#)

R: Agglomerative Nesting (Hierarchical Clustering)

Also a **vector** with length $n*(n-1)/2$ is allowed (where n is the number of ... we use the smallest **dissimilarity between** a point in the first **cluster** and a ...

astrostatistics.psu.edu/datasets/2006tutorial/html/cluster/html/agnes.html - 9k -

[Cached](#) - [Similar pages](#)

R: Partitioning Around Medoids (PAM) Object

If a **dissimilarity** matrix was given as input to pam , then a **vector** of ... L-cluster iff for each observation i the maximal **dissimilarity between** i and any ...

astrostatistics.psu.edu/datasets/2006tutorial/html/cluster/html/pam.object.html - 5k -

[Cached](#) - [Similar pages](#)

[More results from astrostatistics.psu.edu]

[PDF] Delta-MSE dissimilarity in GLA based vector quantization ...

vectors in sparse **clusters** are moved frequently by the **dissimilarity** than those in dense

clusters. The Delta-MSE **dissimilarity between** training **vector** x ...

ieeexplore.ieee.org/iel5/9243/29347/01327235.pdf - [Similar pages](#)

Method and system for performing a similarity search using a ...

In a preferred embodiment, the test is based on the angle **between** the **cluster** index **vector** and the query **vector**. **Clusters** that are too dissimilar to the ...

www.freepatentsonline.com/20020184193.html - 34k - [Cached](#) - [Similar pages](#)

S-PLUS help

If a **dissimilarity** matrix was given as input to pam, then a **vector** of numbers ... the **cluster** (minimal **dissimilarity between** an object of the **cluster** and an ...

www.uni-muenster.de/ZIV/Mitarbeiter/BennoSueselbeck/s-html/helpfiles/pam.object.html -

5k - [Cached](#) - [Similar pages](#)

[PPT] Clustering methods

File Format: Microsoft Powerpoint - [View as HTML](#)

Two profiles (**vectors**). and. $+1 \square$ Pearson Correlation $\square - 1$... **Dissimilarity between** two **clusters** = Minimum **dissimilarity between** the members of two ...

www.cs.brandeis.edu/~hong/CS230a/CourseInfo/IntroHierarchicalClustering.ppt -

[Similar pages](#)

R: Hierarchical Clustering

labels, A character **vector** of labels for the leaves of the tree. ... NULL , then d is taken to be a **dissimilarity** matrix **between clusters** instead of ...

Web Images Video News Maps Gmail more ▾

[Sign in](#)

Google

vector cluster distances

Search

[Advanced Search](#)
[Preferences](#)

New! [View and manage your web history](#)

Web Books

Results 1 - 10 of about 1,890,000 for **vector cluster distances**. (0.11 seconds)

[PDF] [ADAPTIVE CLUSTER-DISTANCE BOUNDING FOR NEAREST NEIGHBOR SEARCH IN ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

datasets, based on principles of clustering and **vector** quanti-. zation. We develop an adaptive **cluster distance** bound based ...

scl.ece.ucsb.edu/pubs/pubs_D/d07_4.pdf - [Similar pages](#)

[R: Cluster validation statistics](#)

diameter, **vector** of **cluster** diameters (maximum within **cluster distances**).

average **distance**, **vector** of clusterwise within **cluster average distances**. ...

rss.acs.unt.edu/Rdoc/library/fpc/html/cluster.stats.html - 8k - Cached - [Similar pages](#)

[Paper] [ART Neural Network based Clustering Agent for User Access ...](#)

Each **cluster** is represented as prototype **vector** by generalizing the URLs most The average inter-**cluster distances** are varying at a steady rate. ...

www.actapress.com/PDFViewer.aspx?paperId=21100 - [Similar pages](#)

[Mamajek, Moving Cluster Distance to 2M1207b](#)

Using a revised space motion **vector** for TWA and improved proper motion for 2M1207, I use the moving **cluster** method to estimate the **distance** to the 2M1207 ...

www.journals.uchicago.edu/cgi-bin/resolve?2005ApJ...634.1385M - [Similar pages](#)

[Comptes Rendus Chimie : Small-angle X-ray scattering investigation ...](#)

The x-axis corresponds to the scattering **vector**, q , and the y-axis to $I(q)$ Contrary to this, the peak at smaller q (larger inter-**cluster distances**) is ...

linkinghub.elsevier.com/retrieve/pii/S1631074804000840 - [Similar pages](#)

[Proactive Cluster-Based Distance Vector \(PCDV\) Routing Protocol in ...](#)

A proactive **cluster**-based **distance vector** routing protocol based on DSDV protocol is proposed for mobile ad hoc networks. A network is divided into a number ...

ietcom.oxfordjournals.org/cgi/content/abstract/E90-B/6/1390 - [Similar pages](#)

[PDF] [Proactive Cluster-Based Distance Vector \(PCDV\) Routing Protocol in ...](#)

A proactive **cluster**-based **distance vector** routing protocol. based on DSDV protocol is proposed for mobile ad hoc networks. A net- ...

ietcom.oxfordjournals.org/cgi/reprint/E90-B/6/1390.pdf - [Similar pages](#)

[More results from ietcom.oxfordjournals.org]

[Automatic Speech and Speaker Recognition: Advanced Topics - Google Books Result](#)

by Kuldip K Paliwal, Chin-Hui Lee, Frank K Soong - 1996 - Computers - 536 pages

Let $D(X_i, M_k)$ denote a suitable **distance** measure between a given **vector** X_i , $i = 1, \dots, N$, and a given **cluster** M_k , $k = 1, \dots, K$. (For example, ...

books.google.com/books?isbn=0792397061...

[PDF] [A convex cluster merging algorithm using support vector machines ...](#)

reliable **distance**. measure between two convex clusters using Support **Vector**. Machines (SVM). ... **distance** measure for the input pattern and each **cluster**. In ...

ieeexplore.ieee.org/iel5/8573/27148/01206549.pdf - [Similar pages](#)